



No. :

Date :

Specification of Caustic Soda Flake (NaOH 98.5%)

| R | Test Name | complex Spec | Accepting Limit | Unit | Test Method | Equivalent standard |
|----|--|--------------|--|------|---------------------------------|--|
| 1 | Purity of Sodium Hydroxide (NaOH) | 98.5 | Min 98 | % W | ISIRI-364 clause1-7/ISIRI 6135 | JIS K 1200-1968 |
| 2 | Carbonate as Na ₂ CO ₃ | <0.4 | Max 1 | % W | ISIRI-364 clause2-7/ISIRI 6135 | JIS K 1200-1968 |
| 3 | Chloride as NaCl | <0.008 | Max 0.06 | % W | ISIRI-364 clause3-7/ISIRI 2535 | ASTM E291-1996 |
| 4 | Sulfate as Na ₂ SO ₄ | <0.004 | Max0.01 | % W | ISIRI-364 clause4-7/ISIRI 2535 | ISO 6353-1-1982 ISO 6353-2-1983 IS 252-1973 ISO 2762-1973 |
| 5 | Silicate as SiO ₂ | <0.009 | Max0.02 | % W | ISIRI-364 clause5-7/ISIRI 2535 | ISO 6353-1-1982 ISO 6353-2-1983 |
| 6 | Fe | <10 | Max 30 | ppm | ISIRI-364 clause6-7/ISIRI 2537 | ASTM E291-1996 |
| 7 | Insoluble in water | <0.001 | Max 0.1 | % W | ISIRI-364 clause7-7/ISIRI 2535 | BS 6075 Part 14-1981 |
| 8 | Aluminum as Al ₂ O ₃ | <3 | Max 20 | ppm | ISIRI-364 clause8-7/ISIRI 2537 | ISO 6353-1-1982 ISO 6353-2-1983 IS 376-1986 |
| 9 | Heavy metals as Pb | <2 | Max 20 | ppm | ISIRI-364 clause9-7/ISIRI 2537 | ISO 6353-1-1982 ISO 6353-2-1983 IS 9831 : 1994 |
| 10 | Mercury | <0.1 | Max 0.2 | ppm | ISIRI-364 clause10-7/ISIRI 2537 | |
| 11 | Arsenic as As ₂ O ₃ | <1 | Max 2 | ppm | ISIRI-364 clause11-7/ISIRI 2537 | |
| 12 | Appearance | OK | White flakes, Opaque Crystals, Free of impurities | - | ISIRI-364 clause1-5 | |

P E T R O A R S E S C o .

 info@petroarses.com  www.petroarses.com

  (+98 912) 650 85 53